Material Safety Data Sheet

Milamar 8219A - Epoxy Caulk Part "A" MUSSON 110 - CARTRIDGE

Complies with OSHA's Hazard Communication Standard CFR 1910.1200

I. Chemical Product and Company Identification

Material Identity HMIS: H: 2 / F: 0 / R: 1 / P: B

Product Code and Name: 8219A – Epoxy Caulk Part "A"

Product Class: Adhesive

DOT Class: Not regulated – Limited Quantity

Manufacturer: Milamar Adhesives 24 Hour Emergency: Chemtrec 1(800) 255-3924

7500 Melrose Lane Oklahoma City, OK 73127

Date October 5, 1999 Date Revised: November 1, 2005

Prepared:

II. Composition/Information on Hazardous Ingredients

| Component | OSHA PEL | ACGIH TLV | <u>%</u> | CAS Number |
|-----------------------------------|----------|-----------|----------|------------|
| Epichlorohydrin Bisphenol A Resin | NE | NE | 40-50 | 25068-38-6 |
| Epichlorohydrin Polyglycol Resin | NE | NE | 10-20 | 41638-13-5 |
| Miscellaneous Inert Fillers | NE | NE | 35-45 | |

III. Physical Data

Vapor Density (air = 1): Not determined Boiling Point: Not determined

Density: 12.65 #/gal **Vapor Pressure:**Not determined

Solubility in Water: None **Appearance and odor:** Grayish mastic, mild epoxy resin odor

Evaporation Rate (butyl Not determined V.O.C.<10 g/L

acetate =1):

% Solids: > 95%

IV. Fire and Explosion Hazards

Flash Point (Method Used): >450° F Flammable Limits: Not determined

Flammability Classification: OSHA: None DOT: Not regulated

Extinguishing Media: Carbon dioxide, Dry chemical or foam.

Special Fire Fighting Water spray may be ineffective. Water may be used to cool closed containers to prevent

Procedures: pressure buildup and possible auto-ignition or explosion when exposed to extreme heat.

Fog nozzles are preferred if water is used.

Unusual Fire and Explosion Keep containers closed except when in use. Closed containers may explode when

Hazards: exposed to extreme heat. Do not use in vicinity of open flame or sparks. Extinguish all

pilot lights and all sources of ignition.

V. Reactivity Data

Material Safety Data Sheet

Milamar 8219A - Epoxy Caulk Part "A"

Stability: Stable

Conditions to Avoid: In reaction with many curing agents, considerable heat is released. Avoid excessive heat.

Incompatibility (Materials to Oxidizing materials

Avoid):

Hazardous Decomposition Carbon Monoxide, Carbon Dioxide, Aldehydes and acids from incomplete combustion.

Products:

Hazardous Polymerization: Will not occur.

VI. Health Hazard Data

Effects of Exposure: Chronic: Prolonged or repeated skin exposure can cause skin irritation or allergic

reaction. **Acute:** Prolonged or repeated exposure can cause mild skin irritation. Mildly

irritating to the eyes.

Emergency and First Aid Skin: Wash with soap and water or waterless skin cleanser. Remove contaminated

Procedures: clothing. Followed by soap and water. Get medical help if irritation persists. Eyes: Flush

with large amounts of water for 15 minutes. Get medical help if irritation persists.

Ingestion: Get medical attention.

VII. Precautions for Safe Handling and Use

Steps to be taken in case Scrape into containers for disposal. **material is spilled or released:**

Waste disposal method: Dispose of according to federal, state and local regulations. Can be incinerated in approved

facility if not in closed containers.

Handling and Storage Keep container tightly closed. Store in a cool dry place. Wash with soap and water before

Precautions: eating, drinking, smoking or using toilet facilities. Launder contaminated clothing before

reuse

Transportation Data: See Section I

Other Precautions: KEEP OUT OF REACH OF CHILDREN!

VIII. Control Measures

Respiratory Not usually required. Use respiratory protection if vapor levels are at or above TLV levels. (Use

Protection: NIOSH approved respirator.). Use only in well ventilated areas.

Ventilation: Good General/Local ventilation to control vapor levels below TLV.

Protective Gloves: Chemical resistant gloves recommended

Eye Protection: Goggles recommended

Hygienic Practices: Good general cleanliness and hygiene. Wash skin and hands after exposure.

Disclaimer: This Safety Data Sheet was prepared to protect against any reasonable exposure to consumers or employees arising out of the intended use of the product and to provide them with information regarding potential hazards contained in the product. Under varied circumstances the hazardous ingredients may pose a lesser or greater hazard. Because of the scientific data contained in these sheets was obtained from tests performed by agencies other than Milamar Adhesives, the company cannot guarantee its accuracy. Milamar Adhesives makes no warranty of any kind, expressed or implied. The user must assume all risk and liability resulting from reliance on the information contained on this Material Safety Data Sheet and the use of this product, whether used in combination with other products or singly.